

| 1. Product and Company Identification | | | | |
|---------------------------------------|---|---------------------------------|------------|--|
| Product Code: | 4060 | | | |
| Product Name: | STICK-M-UP | Revision: | 01/17/2020 | |
| | | Supersedes Revision: 02/06/2015 | | |
| Supplier Information: | TWIN-CHEM INC. 6175 HICKORY FLAT HWY. SUITE 100-344 CANTON, GA 30115 | | | |
| Website: Email address: | www.twinchemicals.com sales@twinchemicals.com | Phone Number: 800/442-49 | 958 | |
| Emergency Contant: | CERTS (Health & Environment only) | Phone Number: 800/552-3 | 787 | |

2. Hazards Identification

Skin Corrosion/Irritation, Category 2 Serious Eye Damage/Eye Irritation, Category 1



| GHS Signal Word: | Danger |
|--|---|
| GHS Hazard Phrases: | H315 - Causes skin irritation. |
| | H318 - Causes serious eye damage. |
| GHS Precautionary Phrases: | P264 - Wash hands thoroughly after handling. |
| | P280 - Wear protective gloves and eye protection. |
| GHS Response Phrases: | P302+352 - IF ON SKIN: Wash with plenty of soap and water. P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison control center or physician for treatment advice. Have product container or label with you when calling poison control center or physician. P310 - Immediately call a POISON CENTER or doctor/physician. P321 - Specific treatment see appropriate section on this SDS. P332+313 - If skin irritation occurs, get medical advice/attention. P362 - Take off contaminated clothing and wash before re-use. |
| GHS Storage and Disposal Phrases: | No phrases apply. |
| Potential Health Effects (Acute and Chronic): | |
| Inhalation: | No hazard expected in normal industrial use. |
| Skin Contact: | Causes skin irritation. |
| Eye Contact: | Causes eye irritation. Causes redness and pain. Causes eye burns. May cause chemical conjunctivitis and corneal damage. |
| Ingestion: | Harmful if swallowed. May cause gastrointestinal irritation with nausea, vomiting and diarrhea. |

| | 3 | Composition/Infor | mation on Ingredients | |
|--|--|---|--|--|
| CAS # | Hazardous Com | oonents (Chemical Name) | Concentration | |
| 111-76-2 | Ethanol, 2-Butoxy Glycol Ether EB} | - {Ethylene glycol n-butyl ether, | 3.0 -7.0 % | |
| 1310-73-2 | Sodium hydroxide | e {Caustic soda; Lye solution} | 1.0 -3.0 % | |
| 25155-30-0 | Sodium dodecylb alkylbenzene sulf | enzene sulfonate {linear onate} | 1.0 -3.0 % | |
| 68604-71-7 | Imidazolium comp 1-[2-(2-carboxyet 3)-(2-carboxyethy | | 1.0 -3.0 % | |
| | | 4. First Ai | d Measures | |
| Emergency a Procedures: | and First Aid | | | |
| In Case of In | halation: | - | essary since this material is not likely to be hazardous by cessive levels of dusts or fumes, remove to fresh air and get ^r other symptoms develop. | |
| In Case of SI | | | | |
| In Case of Ey | /e Contact: | Rinse thoroughly with plenty | of water for at least 15 minutes and consult a physician. | |
| In Case of In | e of Ingestion: Get medical aid immediately. Call a poison control center. If victim is fully conscious, give a cupful of water. Never give anything by mouth to an unconscious person. | | | |
| | | 5. Fire Fight | ting Measures | |
| Flash Pt: | | No data. | | |
| Explosive Li | mits: | LEL: No data. | UEL: No data. | |
| Autoignition | Pt: | No data. | | |
| Suitable Ext | Suitable Extinguishing Media:Use water spray, dry chemical, carbon dioxide, or chemical foam. Substance is noncombustible; use agent most appropriate to extinguish surrounding fire. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. | | | |
| Fire Fighting | Instructions: | As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Use water spray to keep fire-exposed containers cool. Material will not burn. | | |
| Flammable F Hazards: | Properties and | No data available. | | |
| | | 6. Accidental R | elease Measures | |
| Steps To Be Material Is R Spilled: | Taken In Case eleased Or | Spills/Leaks: Do not let this material and place into a su ditches which lead to water the Protective Equipment s containers. Personal preca Use personal protective equipate safe areas. Environmental precautions. | uipment. Ensure adequate ventilation. Evacuate personnel to | |

7. Handling and Storage

Precautions To Be Taken in Handling:

Do not get in eyes, on skin, or on clothing. Do not ingest or inhale. Wash thoroughly after handling. Keep container tightly closed. Avoid ingestion and inhalation. Discard contaminated shoes. Use only with adequate ventilation. Store in a cool, dry place.

Precautions To Be Taken in Storing:

| | 8. Exposure Controls/Personal Protection | | | | | |
|--|---|---|---------------------|---|--------------------------|--|
| CAS # | Partial Chemical | Name | OSHA TWA | ACGIH TWA | Other Limits | |
| 111-76-2 | Ethanol, 2-Butoxy n-butyl ether, Gly | /- {Ethylene glycol col Ether EB} | PEL: 50 ppm | TLV: 20 ppm | No data. | |
| 1310-73-2 | Sodium hydroxide {Caustic soda; Lye F solution} | | PEL: 2 mg/m3 | CEIL: 2 mg/m3 | No data. | |
| 25155-30-0 | Sodium dodecylbenzene sulfonate {linear alkylbenzene sulfonate} | | No data. | No data. | No data. | |
| 68604-71-7 | 7 Imidazolium compounds, 1-[2-(2-carboxyethoxy)ethyl]-1(or 3)-(2-carboxyethyl)-4,5-dihydro-2-norco co | | No data. | No data. | No data. | |
| Respiratory I (Specify Typ | | Respirator protection | on is not normally | required. | | |
| Eye Protection: | | Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Wear chemical splash goggles. | | | | |
| Protective G | loves: | Wear appropriate protective gloves to prevent skin exposure. Handle with gloves. | | | | |
| Other Protec | tive Clothing: | Wear appropriate p | orotective clothing | to prevent skin exposure. | | |
| Engineering (Ventilation e | | should be equipped | d with an eyewash | irements. Facilities storing n facility and a safety show irborne concentrations belo | er. Use adequate general | |
| Work/Hygienic/MaintenanceHandle in accordance with good industrial hygiene and safPractices:before breaks and at the end of workday. | | | | practice. Wash hands | | |
| | | 9. Physical | and Chemic | al Properties | | |
| Physical Stat Appearance | | [] Gas [X] Lio Clear purple liquid Solvent odor. | quid []Solid | | | |
| Melting Poin | t: | No data. | | | | |
| Boiling Point | t: | No data. | | | | |
| Autoignition | Pt: | No data. | | | | |
| Flash Pt: | | No data. | | | | |
| Explosive Lin | mits: vity (Water = 1): | LEL: No data. ~ 1.08 | | UEL: No data. | | |

| Vapor Pressure (vs. Air or mm Hg): | No data. |
|------------------------------------|----------|
| Vapor Density (vs. Air = 1): | No data. |
| Evaporation Rate: | No data. |
| Solubility in Water: | Complete |
| Viscosity: | Thin |
| pH: | > 11.5 |
| Percent Volatile: | No data. |
| | |

| | 10 | . S | Stability and Reactivity | |
|---|-----|-----|--------------------------|--|
| 1 | r - | 1 | | |

| Stability: | Unstable [] Stable [X] |
|---|--|
| Conditions To Avoid - Instability: | Incompatible materials, Avoid contact with acids, reducing agents, oxidizers, nitrogen oxides, amines, ammonia or other nitrogen containing compounds. contact with water. |
| Incompatibility - Materials T Avoid: | Strong acids. Strong bases, Aluminum, Sulfur oxides. Metals. Acids, Zinc, gelatin, nitromethane, leather, flammable liquids, organic halogens. Lead. Tin/tin oxides. |
| Hazardous Decomposition of Byproducts: | or Carbon monoxide, Toxic fumes of sodium oxide, formed under fire conditions. Sodium oxides, silicon oxides. |
| Possibility of Hazardous Reactions: | Will occur [] Will not occur [X] |
| Conditions To Avoid - Hazardous Reactions: | No data available. |

11. Toxicological Information

| Toxicologica | I Information: No data available. | | | | |
|--------------|---|------|------|-------|------|
| CAS # | Hazardous Components (Chemical Name) | NTP | IARC | ACGIH | OSHA |
| 111-76-2 | Ethanol, 2-Butoxy- {Ethylene glycol n-butyl ether, Glycol Ether EB} | n.a. | 3 | A3 | n.a. |
| 1310-73-2 | Sodium hydroxide {Caustic soda; Lye solution} | n.a. | n.a. | n.a. | n.a. |
| 25155-30-0 | Sodium dodecylbenzene sulfonate {linear alkylbenzene sulfonate} | n.a. | n.a. | n.a. | n.a. |
| 68604-71-7 | Imidazolium compounds, 1-[2-(2-carboxyethoxy)ethyl]-1(or 3)-(2-carboxyethyl)-4,5-dihydro-2-norcoco | n.a. | n.a. | n.a. | n.a. |

| 3)-(2-calboxyettiyi)-4,3-ditiyul0-2-horcoco | | | |
|---|---|--|--|
| | 12. Ecological Information | | |
| | No data available. | | |
| Persistence and Degradability: | No data available. | | |
| Bioaccumulative Potential: | No data available. | | |
| Mobility in Soil: | No data available. | | |
| | 13. Disposal Considerations | | |
| Waste Disposal Method: | Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification. RCRA P-Series: None listed. RCRA U-Series: None listed. Product. Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material. | | |

Ш

SAFETY DATA SHEET STICK-M-UP

Contaminated packaging. Dispose of as unused product.

14. Transport Information

LAND TRANSPORT (US DOT):

| DOT Proper Shipping Name: | Corrosive liquid | l, basic, inorganic, n.o.s. (Sodium hydroxide) |
|---------------------------|------------------|--|
| DOT Hazard Class: | 8 | CORROSIVE |
| UN/NA Number: | UN3266 | Packing Group: |



15. Regulatory Information

| EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists | |
|--|--|
| El A OARA (Ouperfund Ameridanento una Redution Zation Act of 1000) Elsto | |

| CAS # 111-76-2 | Hazardous Components (Chemical Name) Ethanol, 2-Butoxy- {Ethylene glycol n-butyl ether, Glycol Ether EB} | S. 302 (EHS) No | S. 304 RQ No | S. 313 (TRI) Yes-Cat. N230 |
|--------------------------|--|----------------------------------|----------------------------------|--------------------------------------|
| 1310-73-2 | Sodium hydroxide {Caustic soda; Lye solution} | No | Yes 1000 LB | No |
| 25155-30-0 | Sodium dodecylbenzene sulfonate {linear alkylbenzene sulfonate} | No | Yes 1000 LB | No |
| 68604-71-7 | Imidazolium compounds, 1-[2-(2-carboxyethoxy)ethyl]-1(or 3)-(2-carboxyethyl)-4,5-dihydro-2-norcoco | No | No | No |
| CAS # | Hazardous Components (Chemical Name) | Other US EPA or | · State Lists | |
| 111-76-2 | Ethanol, 2-Butoxy- {Ethylene glycol n-butyl ether, Glycol Ether EB} | CAA HAP,ODC: Inventory; CA PI | No; CWA NPDES: No; ROP.65: No | TSCA: Yes - |
| 1310-73-2 | Sodium hydroxide {Caustic soda; Lye solution} | CAA HAP,ODC: Inventory; CA Pl | No; CWA NPDES: No; ROP.65: No | TSCA: Yes - |
| | Cadium dadaaulhanzana aulfanata. (linaan | | | TOOLY |
| 25155-30-0 | Sodium dodecylbenzene sulfonate {linear alkylbenzene sulfonate} | Inventory; CA Pl | No; CWA NPDES: No; ROP.65: No | ISCA: Yes - |

16. Other Information

| Revision | Date: |
|----------|-------|
| Preparer | Name: |

01/17/2020

Regulatory Affairs

Hazard Rating System:

| HEALTH | | 2 | |
|--------------|--|---|--|
| FLAMMABILITY | | 0 | |
| REACTIVITY | | 1 | |
| PPE | | в | |

HMIS:

Additional Information About No data available.

This Product:

Company Policy or Disclaimer:

The information contained in this Safety Data Sheet is provided pursuant to current OSHA regulations to convey information concerning the hazardous nature of the named product. The information supplied was compiled from the most reliable sources available

at the time of preparation and in light of the most reasonable foreseeable exposure situations expected from the intended use of this product. The material(s) may present greater or lesser hazard exposure under other circumstances that are beyond the control of the manufacturer. Therefore it is imperative that all directions and warnings on the product label be read and closely followed.