Revision: 10/19/2015 Supersedes Revision: 03/06/2015

	1. Product and Company Ident	ification			
Product Code: 00073A					
Product Name: Company Name:	Twin-Chem NO ODOR MASTIC REMOVER TWIN-CHEMICALS, INC. 6175 Hickory Flat Highway Suite 110-344 Canton, GA 30755	Phone Number: (800)442-4958			
Web site address:	Web site address: www.twinchemicals.com				
Email address: sales@twinchemicals.com					
Emergency Contact: Information:	CERTS (Health & Environment only) Sales & Information -	(800)552-3787 (800)442-4958			

2. Hazards Identification

Flammable Liquids, Category 3 Acute Toxicity: Skin, Category 4 Skin Corrosion/Irritation, Category 2 Aspiration Toxicity, Category 2 Acute Toxicity: Inhalation, Category 4



GHS Signal Word: GHS Hazard Phrases:	Warning H226 - Flammable liquid and vapor. H305 - May be harmful if swallowed and enters airways. H312 - Harmful in contact with skin. H315 - Causes skin irritation. H332 - Harmful if inhaled.
GHS Precaution Phrases:	 P210 - Keep away from heat/sparks/open flames/hot surfaces No smoking. P240 - Ground/bond container and receiving equipment. P233 - Keep container tightly closed. P243 - Take precautionary measures against static discharge. P261 - Avoid breathing mist/vapours/spray. P264 - Wash hands thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear protective gloves/protective clothing/eye protection.
GHS Response Phrases:	 P301+310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P312 - Call a POISON CENTER or doctor/physician if you feel unwell. P331 - Do NOT induce vomiting. P332+313 - If skin irritation occurs, get medical advice/attention. P362 - Take off contaminated clothing and wash before re-use.
GHS Storage and Disposal Phrases:	P403+235 - Store in cool/well-ventilated place. P501 - Dispose of contents/container to a waste facility according to local regulations.

		Twin-Chem NO ODOR MASTIC REMOVER Revision: 10/19/2015		
		Supersedes Revision: 03/06/2015		
Potential Health Effects (Acute and Chronic):		Prolonged or repeated skin contact may cause defatting and dermatitis.		
,	,	Chronic: May cause liver and kidney damage. Sophisticated modeling has clearly proven that 2-butoxyethanol does not build up in the body under any kinds of normal use.		
Inhalation: Harmful if inhaled. May cause narcotic effects in high concentration. May cause damage. May cause central nervous system effects such as nausea and hear Material is irritating to mucous membranes and upper respiratory tract.				
Skin Contact: Causes skin irritation. Causes symptoms similar to those of inhalation. Skin sensitive testing with human volunteers produced negative results. A skin notation is not recommended by ACGIH, based on estimates from physiologically based pharmacokinetic models which indicate that, even in worst-case dermal-exposure scenarios, 2-butoxyethanol is not absorbed in amounts sufficient to cause red blochemolysis in humans. May cause skin irritation.				
Eye Contact:		Causes redness and pain. Causes severe eye irritation.		
Ingestion:		Aspiration hazard. May cause irritation of the digestive tract. Harmful if swallowed. May		
-		cause gastrointestinal irritation with nausea, vomiting and diarrhea. Prolonged or		
		repeated exposure may cause allergic reactions in certain sensitive individuals.		
	3.	. Composition/Information on Ingredients		
CAS # Ha	zardous Com	ponents (Chemical Name) Concentration		
64742-47-8 Hy	drotreated light	t distillate (petroleum) 80.0 -90.0 %		
	nanol, 2-Butoxy /col Ether EB}	y- {Ethylene glycol n-butyl ether, 10.0 -15.0 %		
.alp	9016-45-9 Poly(oxy-1,2-ethanediyl), 3.0 -6.0 % .alpha(nonylphenyl)omegahydr {Nonylphenol Ethoxylate}			
		4. First Aid Measures		
Emergency and Procedures:	First Aid			
In Case of Inhala	ation:	If inhaled, remove to fresh air. If breathing is difficult, give oxygen. Get medical aid immediately. Remove from exposure and move to fresh air immediately.		
In Case of Skin (Contact:	In case of contact, flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical aid if irritation develops and persists. Wash clothing before reuse.		
In Case of Eye Contact:		In case of contact, immediately flush eyes with plenty of water for a t least 15 minutes. Get medical aid immediately.		
by mouth to an unconscious person. If vomiting occurs r		Potential for aspiration if swallowed. Get medical aid immediately. Never give anything by mouth to an unconscious person. If vomiting occurs naturally, have victim lean forward. Call a poison control center. If swallowed, wash out mouth with water provided person is conscious. Call a physician.		
Signs and Symp Exposure:	otoms Of	Exposure can cause: Nausea, headache, and vomiting.		
Note to Physicia	in:	None known.		

Revision: 10/19/2015 Supersedes Revision: 03/06/2015

	5. Fire Fighting Measures
Flash Pt:	79.00 C Method Used: Cleveland Open Cup
Explosive Limits:	LEL: 0.6 UEL: 7.0
Autoignition Pt:	> 231.00 C
Suitable Extinguishing Media	:Use water spray, dry chemical, carbon dioxide, or appropriate foam. Suitable:
Fire Fighting Instructions:	As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Use water spray to keep fire-exposed containers cool. Will burn if involved in a fire. Combustible liquid and vapor. Protective Equipment: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes. Specific Hazard(s):
Flammable Properties and Hazards:	
Hazardous Combustion Products:	
	6. Accidental Release Measures
Protective Precautions, Protective Equipment and Emergency Procedures:	Hand: Compatible chemical-resistant gloves. Always use a NIOSH or European Standard EN 149 approved respirator when necessary. Eye protection is recommended.
Environmental Precautions:	Do not discharge directly into the environment or into the sewer system.
Steps To Be Taken In Case Material Is Released Or Spilled:	Use proper personal protective equipment as indicated in Section 8. Spills/Leaks: Avoid runoff into storm sewers and ditches which lead to waterways. Clean up spills immediately, observing precautions in the Protective Equipment section. Remove all sources of ignition. Provide ventilation. Do not let this chemical enter the environment. PROCEDURE(S) OF PERSONAL PRECAUTION(S) Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves. Methods for cleaning up. Absorb on sand or vermiculite and place in closed containers for disposal. Ventilate area and wash spill site after material pickup is complete.
	7. Handling and Storage
Precautions To Be Taken in Handling:	Wash thoroughly after handling. Use with adequate ventilation. Avoid contact with eyes, skin, and clothing. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep container tightly closed. Avoid ingestion and inhalation. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose empty containers to heat, sparks or open flames. Keep away from heat, sparks and flame. Do not ingest or inhale. User Exposure: Do not breathe vapor.
Precautions To Be Taken in Storing:	Keep away from sources of ignition. Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible substances.

8. Exposure Controls/Personal Protection				
CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
64742-47-8	B Hydrotreated light distillate (petroleum) TLV: 200 mg/m3			
111-76-2	Ethanol, 2-Butoxy- {Ethylene glycol n-butyl ether, Glycol Ether EB}	PEL: 50 ppm	TLV: 20 ppm	
9016-45-9	Poly(oxy-1,2-ethanediyl), .alpha(nonylphenyl)omegahydr {Nonylphenol Ethoxylate}			

Revision: 10/19/2015 Supersedes Revision: 03/06/2015

Respiratory Equipment (Specify Type):	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi- purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. Hand: Compatible chemical-resistant gloves.
Eye Protection:	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Chemical safety goggles.
Protective Gloves:	Wear appropriate protective gloves to prevent skin exposure.
Other Protective Clothing:	Wear appropriate protective clothing to prevent skin exposure.
Engineering Controls (Ventilation etc.):	Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate ventilation to keep airborne concentrations low. Use explosion-proof ventilation equipment. Use only under a chemical fume hood. Safety shower and eye bath.
Work/Hygienic/Maintenance	Wash thoroughly after handling.

Practices:

9. Physical and Chemical Properties

Physical States:	[]Gas [X]Liquid []Solid
Appearance and Odor:	Clear liquid.
	solvent odor.
pH:	NP
Freezing Point:	< -70.00 C
Boiling Point:	210.00 C - 288.00 C
Flash Pt:	79.00 C Method Used: Cleveland Open Cup
Evaporation Rate:	> 5 (BuAC=1)
Flammability (solid, gas):	
Explosive Limits:	LEL: 0.6 UEL: 7.0
Vapor Pressure (vs. Air or	.05 MM_HG
mm Hg):	
Vapor Density (vs. Air = 1):	NA
Specific Gravity (Water = 1):	0.800 - 0.820 at 20.0 C
Density:	NP
Solubility in Water:	Nil
Saturated Vapor	NA
Concentration:	
Octanol/Water Partition	
Coefficient:	
Percent Volatile:	> 94.0 % by weight.
Autoignition Pt:	> 231.00 C
Decomposition Temperature	:
Viscosity:	Water thin

Revision: 10/19/2015 Supersedes Revision: 03/06/2015

Page: 5 of 7

		10. Stability and F	Reactivity			
Stability:		Unstable [] Stable [X]				
Conditions To Avoid - Instability:		ignition sources, Incompatible materials.				
Incompatibili Avoid:	ty - Materials To	Strong acids. Strong bases, Oxidiz	ing agents.			
Hazardous De Byproducts:	ecomposition o	r Carbon monoxide, oxides of sulfur.				
Possibility of Reactions:	Hazardous	Will occur [] Will not occur [>	<]			
Conditions To Hazardous Ro						
		11. Toxicological Ir	nformatio	n		
Toxicological Information:		Epidemiology: No information found. Teratogenicity: No information available. Reproductive Effects: Mutagenicity: Neurotoxicity:				
Carcinogenicity/Other Information:		CAS# 64742-47-8: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 111-76-2: ACGIH: A3 - Confirmed animal carcinogen with unknown relevance to humans. California: Not listed. NTP: Not listed. IARC: Not listed.				
CAS #	Hazardous Com	ponents (Chemical Name)	NTP	IARC	ACGIH	OSHA
64742-47-8	Hydrotreated light distillate (petroleum)		n.a.	n.a.	A4	n.a.
111-76-2	Ethanol, 2-Butoxy- {Ethylene glycol n-butyl ether, Glycol Ether EB}		n.a.	3	A3	n.a.
9016-45-9	Poly(oxy-1,2-ethanediyl), .alpha(nonylphenyl)omegahydr {Nonylphenol Ethoxylate}		n.a.	n.a.	n.a.	n.a.
		12. Ecological Inf	ormation			
General Ecolo Information:	ogical	Environmental: TERRESTRIAL FA an estimated Koc value of 67,, dete recommended regression-derived of ether is expected to have high mot calculated for ethylene glycol mono and a recommended regression-de classification scheme, this BCF val organisms is low. Physical: No information found. Other: An estimated BCF value of a ethylene glycol mono-n-butyl ether according to a recommended class	ermined from equation, indi pility in soil. An p-n-butyl ethe erived equatio ue suggests f 2.5,, from an bioconcentra	an experime cates that et n estimated f r, using an e n. According that bioconce experimental tion in aquat	ntal log Kow hylene glycol BCF value of xperimental lo to a recommentration in ac entration in ac l log Kow, sug ic organisms	and a mono-n-butyl 2.5 was og Kow of 0.83 nended quatic ggests that

Revision: 10/19/2015 Supersedes Revision: 03/06/2015

				Cupen	
		13. Disposal C	onsideratio	ons	
Waste Dispo		Chemical waste generators m as a hazardous waste. US EF in 40 CFR Parts 261. Addition hazardous waste regulations RCRA P-Series: None listed. RCRA U-Series: None listed. sanitary waste. Do not reuse service to dispose of this mat solvent and burn in a chemica	PA guidelines fo nally, waste gen to ensure comp Empty containe container. Cont erial. Dissolve c	r the classification of erators must consu- lete and accurate c er may be recycled of act a licensed profe or mix the material w	determination are listed It state and local lassification. or disposed of as solid ssional waste disposa <i>v</i> ith a combustible
		14. Transport	Informatio	on	
LAND TRAN	SPORT (US DOT)	:			
	per Shipping Nan ard Class:	ne: Environmentally hazardou (applies to single contained smaller containers are no NOT REGULATED FOR	ers of more thar t regulated)	119 gallons -	
UN/NA N	umber:				
LAND TRAN	SPORT (Canadia	n TDG):			
TDG Shipping Name: Environmenta(applies to sin		Environmentally hazardou (applies to single containe smaller containers are not	ers of more than	•	
AIR TRANSF	ORT (ICAO/IATA):			
ICAO/IAT	A Shipping Name	e: Non-Hazardous for Air Tr	ansport: Non-ha	azardous for air tran	sport.
		15. Regulatory	/ Informati	on	
EPA SARA (S	uperfund Amendm	ents and Reauthorization Act o	f 1986) Lists		
CAS # 64742-47-8		oonents (Chemical Name) distillate (petroleum)	S. 302 (EHS) No	S. 304 RQ No	S. 313 (TRI) No
111-76-2	Ethanol, 2-Butoxy Glycol Ether EB}	- {Ethylene glycol n-butyl ether,	No	No	Yes-Cat. N230
9016-45-9	Poly(oxy-1,2-ethanediyl), .alpha(nonylphenyl)omegahydr {Nonylphenol Ethoxylate}		No	No	No
CAS #	Hazardous Components (Chemical Name)		Other US EPA	or State Lists	
64742-47-8	Hydrotreated light distillate (petroleum)		CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No		
111-76-2	Glycol Ether EB}	- {Ethylene glycol n-butyl ether,	Inventory; CA I		
9016-45-9	Poly(oxy-1,2-etha .alpha(nonylpher Ethoxylate}	nediyl), nyl)omegahydr {Nonylphenol		: No; CWA NPDES: M AIR; CA PROP.65: N	

Revision: 10/19/2015 Supersedes Revision: 03/06/2015

16. Other Information		
Revision Date:	10/19/2015	
Hazard Rating System: HMIS:	HEALTH1FLAMMABILITY2REACTIVITY1PPEI	
Additional Information About This Product:		
Company Policy or Disclaimer:	THE INFORMATION CONTAINED HEREIN is based upon available information at the time of preparation and isbelieved to be accurate but is not warranted to be so. Users are advised to confirm in advance of need that the information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or any other user proximately caused by the material if misused or if reasonable safety procedures are not adheared to as stipulated in the data sheet and on the prduct label. Furthermore, vendor assumes no responsibility for injury or damage caused by abnormal use of this material even if reasonable safety measures are followed.	