

**SAFETY DATA SHEET**  
**EXTRA MAN LOW ODOR MASTIC**  
**REMOVER**

## 1. Product and Company Identification

**Product Code:** 00093R011817  
**Product Name:** EXTRA MAN LOW ODOR MASTIC REMOVER  
**Company Name:** TWIN-CHEMICALS, INC  
6175 Hickory Flat Highway  
Suite 110-344  
Canton, GA 30115  
**Phone Number:** (800)442-4958  
**Web site address:** www.twinchemicals.com  
**Email address:** sales@twinchemicals.com  
**Emergency Contact:** CHEMTREC (Health & Environment Only) (800)424-9300  
**Information:** Sales & Information (800)442-4958

## 2. Hazards Identification

Flammable Liquids, Category 4  
Aspiration Toxicity, Category 1  
Skin Sensitization, Category 1  
Skin Corrosion/Irritation, Category 2  
Aquatic Toxicity (Acute), Category 1  
Serious Eye Damage/Eye Irritation, Category 2B  
Aquatic Toxicity (Chronic), Category 1



**GHS Signal Word:** **Danger**

**GHS Hazard Phrases:** H227 - Combustible liquid.  
H304 - May be fatal if swallowed and enters airways.  
H315+320 - Causes skin and eye irritation.  
H317 - May cause an allergic skin reaction.  
H410 - Very toxic to aquatic life with long lasting effects.

**GHS Precaution Phrases:** P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.  
P264 - Wash hands thoroughly after handling.  
P272 - Contaminated work clothing should not be allowed out of the workplace.  
P273 - Avoid release to the environment.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.

**GHS Response Phrases:** P301+310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  
P302+352 - IF ON SKIN: Wash with plenty of soap and water.  
P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison control center or physician for treatment advice. Have product container or label with you when calling poison control center or physician.  
P321 - Specific treatment see ... on this label.  
P331 - Do NOT induce vomiting.  
P332+313 - If skin irritation occurs, get medical advice/attention.  
P333+313 - If skin irritation or rash occurs, seek medical advice/attention.  
P337+313 - If eye irritation persists, get medical advice/attention.  
P362 - Take off contaminated clothing and wash before re-use.  
P363 - Wash contaminated clothing before reuse.  
P391 - Collect spillage.

**SAFETY DATA SHEET**  
**EXTRA MAN LOW ODOR MASTIC**  
**REMOVER**

Page: 2 of 7

Revision: 01/18/2017  
Supersedes Revision: 01/12/2017

P370+378 - In case of fire, use water fog, foam, dry chemical or carbon dioxide (CO<sub>2</sub>) to extinguish.

**GHS Storage and Disposal Phrases:**

P403+235 - Store in cool/well-ventilated place.

P405 - Store locked up.

P501 - Dispose of contents/container to licensed waste facility following regulations.

**Potential Health Effects (Acute and Chronic):**

Hazards not otherwise classified (HNOC) or not covered by GHS -none. Hazards not otherwise classified (HNOC) or not covered by GHS.

### 3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration
64742-47-8	Hydrotreated light distillate (petroleum)	80.0 -90.0 %
34590-94-8	Propanol, (2-Methoxymethylethoxy)- {(not 313)}	9.0 -12.0 %
9016-45-9	Poly(oxy-1,2-ethanediyl), .alpha.-(nonylphenyl)-.omega.-hydr {Nonylphenol Ethoxylate}	< 7.0 %
5989-27-5	(R)-1-Methyl-4-(1-methylethenyl)-cyclohexene {(R)-(+)-Limonene}	< 4.0 %

### 4. First Aid Measures

**Emergency and First Aid Procedures:**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

**In Case of Inhalation:**

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

**In Case of Skin Contact:**

Wash off with soap and plenty of water. Consult a physician.

**In Case of Eye Contact:**

Flush eyes with water as a precaution. Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

**In Case of Ingestion:**

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

**Signs and Symptoms of Exposure:**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**Indication of any immediate medical attention and special treatment needed:**

No data available.

### 5. Fire Fighting Measures

**Flash Pt:** > 67.00 C Method Used: Estimate

**Explosive Limits:** LEL: N.D. UEL: N.D.

**Autoignition Pt:** > 230.00 C

**Suitable Extinguishing Media:** Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam.

**Fire Fighting Instructions:** Wear self contained breathing apparatus for fire fighting if necessary. Further information. No data available.

**Flammable Properties and Hazards:** Nature of decomposition products not known.

**Hazardous Combustion Products:** No data available.

**SAFETY DATA SHEET**  
**EXTRA MAN LOW ODOR MASTIC**  
**REMOVER**

**6. Accidental Release Measures**

<b>Protective Precautions, Protective Equipment and Emergency Procedures:</b>	Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.
<b>Environmental Precautions:</b>	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.
<b>Steps To Be Taken In Case Material Is Released Or Spilled:</b>	Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal. Soak up with inert absorbent material and dispose of as hazardous waste.

**7. Handling and Storage**

<b>Precautions To Be Taken in Handling:</b>	Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.
<b>Precautions To Be Taken in Storing:</b>	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Storage class 510): Combustible liquids Non Combustible.
<b>Other Precautions:</b>	Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

**8. Exposure Controls/Personal Protection**

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
64742-47-8	Hydrotreated light distillate (petroleum)	No data.	TLV: 200 mg/m3	No data.
34590-94-8	Propanol, (2-Methoxymethylethoxy)- {(not 313)}	PEL: 100 ppm	TLV: 100 ppm STEL: 150 ppm	No data.
9016-45-9	Poly(oxy-1,2-ethanediyl), .alpha.-(nonylphenyl)-.omega.-hydr {Nonylphenol Ethoxylate}	No data.	No data.	No data.
5989-27-5	(R)-1-Methyl-4-(1-methylethenyl)-cyclohexene {(R)-(+)-Limonene}	No data.	No data.	No data.

**Personal Protective Equipment Symbols:**

**Respiratory Equipment (Specify Type):** Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi- purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

**Eye Protection:** Face shield and safety glasses. Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

**Protective Gloves:** Handle with gloves. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Wash and dry hands. Full contact. Material: Nitrile rubber Minimum layer thickness: 0.4 mm.  
If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

# SAFETY DATA SHEET

## EXTRA MAN LOW ODOR MASTIC REMOVER

Revision: 01/18/2017  
Supersedes Revision: 01/12/2017

<b>Other Protective Clothing:</b>	Complete suit protecting against chemicals.
<b>Engineering Controls (Ventilation etc.):</b>	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
<b>Environmental Exposure Controls:</b>	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### 9. Physical and Chemical Properties

<b>Physical States:</b>	<input type="checkbox"/> Gas <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Solid
<b>Appearance and Odor:</b>	Clear liquid. citrus-like odor.
<b>pH:</b>	NP
<b>Freezing Point:</b>	~ -75.00 C
<b>Boiling Point:</b>	169.00 C - 245.00 C
<b>Flash Pt:</b>	> 67.00 C    Method Used: Estimate
<b>Evaporation Rate:</b>	> 1 (H <sub>2</sub> O=1) at 20.0 C
<b>Flammability (solid, gas):</b>	No data available.
<b>Explosive Limits:</b>	LEL: N.D.    UEL: N.D.
<b>Vapor Pressure (vs. Air or mm Hg):</b>	No data.
<b>Vapor Density (vs. Air = 1):</b>	NA
<b>Specific Gravity (Water = 1):</b>	0.819 - 0.829    at 20.0 C
<b>Solubility in Water:</b>	< 3%    at 20.0 C
<b>Octanol/Water Partition Coefficient:</b>	No data.
<b>Percent Volatile:</b>	~ 90 % by weight.
<b>Autoignition Pt:</b>	> 230.00 C
<b>Decomposition Temperature:</b>	NA
<b>Viscosity:</b>	No data.

### 10. Stability and Reactivity

<b>Reactivity:</b>	No data available.
<b>Stability:</b>	Unstable <input type="checkbox"/> Stable <input checked="" type="checkbox"/>
<b>Conditions To Avoid - Instability:</b>	Heat, flames and sparks. No data available.
<b>Incompatibility - Materials To Avoid:</b>	Strong oxidizing agents.
<b>Hazardous Decomposition or Byproducts:</b>	No data available. In the event of fire: see section 5.
<b>Possibility of Hazardous Reactions:</b>	Will occur <input type="checkbox"/> Will not occur <input checked="" type="checkbox"/>
<b>Conditions To Avoid - Hazardous Reactions:</b>	No data available.

**SAFETY DATA SHEET**  
**EXTRA MAN LOW ODOR MASTIC**  
**REMOVER**

**11. Toxicological Information**

**Toxicological Information:** Acute demal toxicity: LD50 rabbit  
 Dose > 2,000 mg/kg

Skin irritation: Rabbit  
 Non irritant

Eye irritation: Rabbit  
 minimal irritant.

No data available. Inhalation: Dermal. Genotoxicity in vitro - mouse - S.typhimurium:  
 Host-mediated assay.  
 Result: negative.  
 Reproductive toxicity. Aspiration hazard: Germ cell mutagenicity. Hamster ovary.  
 (OECD Test Guideline 474) Mouse. male.  
 Overexposure may cause reproductive disorder(s) based on tests with laboratory  
 animals.

**Irritation or Corrosion:** Skin corrosion/irritation.  
 Result: Tumorigenic:Tumors at site or application. No skin irritation -4. Serious eye  
 damage/eye irritation: Eyes: Rabbit.  
 No skin irritation -4 h. Mild skin irritation Serious eye damage/eye irritation Eyes -rabbit

**Sensitization:** Standard Draize Test. Species: Guinea pig. Result: Tumorigenic:Tumors at site or  
 application. Maximisation Test. Does not cause skin sensitisation. Prolonged or repeated  
 exposure may cause allergic reactions in certain sensitive individuals.

**Chronic Toxicological Effects:** Specific target organ toxicity -single exposure (Globally Harmonized System) No data  
 available.  
 Specific target organ toxicity -repeated exposure: no data available.

**Carcinogenicity/Other Information:** IARC: Group 3: Not classifiable as to its carcinogenicity to humans 3.  
 NTP: No component of this product present at levels greater than or equal to 0.1% is  
 identified as a known or anticipated carcinogen by NTP.  
 OSHA: No component of this product present at levels greater than or equal to 0.1% is  
 identified as a carcinogen or potential carcinogen by OSHA. IARC: No component of this  
 product present at levels greater than or equal to 0.1% is identified as probable, possible  
 or confirmed human carcinogen by IARC.  
 ACGIH: No component of this product present at levels greater than or equal to 0.1% is  
 identified as a carcinogen or potential carcinogen by ACGIH.

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
64742-47-8	Hydrotreated light distillate (petroleum)	n.a.	n.a.	A4	n.a.
34590-94-8	Propanol, (2-Methoxymethylethoxy)- {(not 313)}	n.a.	n.a.	n.a.	n.a.
9016-45-9	Poly(oxy-1,2-ethanediy), .alpha.-(nonylphenyl)-.omega.-hydr {Nonylphenol Ethoxylate}	n.a.	n.a.	n.a.	n.a.
5989-27-5	(R)-1-Methyl-4-(1-methylethenyl)-cyclohexene {(R)-(+)-Limonene}	n.a.	3	n.a.	n.a.

**SAFETY DATA SHEET**  
**EXTRA MAN LOW ODOR MASTIC**  
**REMOVER**

## 12. Ecological Information

<b>General Ecological Information:</b>	(OECD Test Guideline 201))
<b>Results of PBT and vPvB assessment:</b>	PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.
<b>Persistence and Degradability:</b>	No data available. Result: 90.4 % Readily biodegradable. Biodegradability Result: 86 % - Readily biodegradable.
<b>Bioaccumulative Potential:</b>	No data available. Does not bioaccumulate.
<b>Mobility in Soil:</b>	No data available.

## 13. Disposal Considerations

<b>Waste Disposal Method:</b>	Product. This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company. Contaminated packaging. Contact a licensed professional waste disposal service to dispose of this material.
-------------------------------	--

## 14. Transport Information

**LAND TRANSPORT (US DOT):**

**DOT Proper Shipping Name:** Environmentally hazardous substances, liquid, n.o.s.  
NOT REGULATED FOR DOMESTIC TRANSPORT.

**DOT Hazard Class:**

**UN/NA Number:**

## 15. Regulatory Information

**EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists**

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
64742-47-8	Hydrotreated light distillate (petroleum)	No	No	No
34590-94-8	Propanol, (2-Methoxymethylethoxy)- {(not 313)}	No	No	No
9016-45-9	Poly(oxy-1,2-ethanediyl), .alpha.-(nonylphenyl)-.omega.-hydr {Nonylphenol Ethoxylate}	No	No	No
5989-27-5	(R)-1-Methyl-4-(1-methylethenyl)-cyclohexene {(R)-(+)-Limonene}	No	No	No

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
64742-47-8	Hydrotreated light distillate (petroleum)	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No
34590-94-8	Propanol, (2-Methoxymethylethoxy)- {(not 313)}	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory, 8A PAIR; CA PROP.65: No
9016-45-9	Poly(oxy-1,2-ethanediyl), .alpha.-(nonylphenyl)-.omega.-hydr {Nonylphenol Ethoxylate}	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory, 8A PAIR, 12(b); CA PROP.65: No
5989-27-5	(R)-1-Methyl-4-(1-methylethenyl)-cyclohexene {(R)-(+)-Limonene}	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No

**SAFETY DATA SHEET**  
**EXTRA MAN LOW ODOR MASTIC**  
**REMOVER**

Revision: 01/18/2017  
Supersedes Revision: 01/12/2017

**16. Other Information**

**Revision Date:** 01/18/2017

**Additional Information About This Product:** No data available.

**This Product:**

**Company Policy or**

**Disclaimer:**

THE INFORMATION CONTAINED HEREIN is based upon available information at the time of preparation and is believed to be accurate but is not warranted to be so. Users are advised to confirm in advance of need that the information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or any other user proximately caused by the material if misused or if reasonable safety procedures are not adheared to as stipulated in the data sheet and on the product label. Furthermore, vendor assumes no responsibility for injury or damage caused by abnormal use of this material even if reasoinalbe safety measures are followed.