Page: 1 of 7

SAFETY DATA SHEET **QUICK RELEASE LOW ODOR** MASTIC REMOVER

Revision: 08/12/2021

1. Product and Company Identification

Product Code: 00044N

Product Name: QUICK RELEASE LOW ODOR MASTIC REMOVER

Company Name: TWIN-CHEMICALS, INC. **Phone Number:**

6175 Hickory Flat Highway

(800)442-4958

Suite 110-344 Canton, GA 30115

Web site address: www.twinchemicals.com Web site address: sales@twinchemicals.com

Emergency Contact: CHEMTREC (Human & Environmental only)

Information:

(800)424-9300 (800)442-4958

Information

2. Hazards Identification

Flammable Liquids, Category 4 Aspiration Toxicity, Category 1 Acute Toxicity: Oral, Category 4 Acute Toxicity: Inhalation, Category 4 Acute Toxicity: Skin, Category 4

Serious Eye Damage/Eye Irritation, Category 2A

GHS Signal Word: Danger

GHS Hazard Phrases: H227: Combustible liquid.

H302+312+332: Harmful if swallowed, in contact with skin or if inhaled.

H304: May be fatal if swallowed and enters airways.

H319: Causes serious eve irritation.

P210: Keep away from {heat/sparks/open flames/hot surfaces}. - No smoking. **GHS Precautionary Phrases:**

P261: Avoid breathing {dust/fume/gas/mist/vapors/spray}.

P264: Wash {hands} thoroughly after handling.

P270: Do not eat, drink or smoke when using this product. P271: Use only outdoors or in a well-ventilated area.

P280: Wear {protective gloves/protective clothing/eye protection/face protection}.

P301+310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. **GHS Response Phrases:**

P312: Call a POISON CENTER or doctor/physician if you feel unwell.

P302+352: IF ON SKIN: Wash with plenty of soap and water.

P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison control center or physician for treatment advice. Have product container or label with you when calling poison control center or

physician.

extinguish.

P330: Rinse mouth.

P331: Do NOT induce vomiting.

P337+313: If eye irritation persists, get medical advice/attention.

P363: Wash contaminated clothing before reuse.

P370+378: In case of fire, use {water fog, foam, dry chemical or carbon dioxide (CO2) to

GHS Storage and Disposal

Phrases:

P403+235: Store in cool/well-ventilated place.

P405: Store locked up

P501: Dispose of contents/container in accordance with all local, regional, national and

international regulations.



Page: 2 of 7

SAFETY DATA SHEET QUICK RELEASE LOW ODOR MASTIC REMOVER

Revision: 08/12/2021

Potential Health Effects (Acute and Chronic):

Hazards not otherwise classified (HNOC) or not covered by GHS -none Hazards not otherwise classified (HNOC) or not covered by GHS -none

3. Composition/Information on Ingredients

CAS # Hazardous Components (Chemical Name) Concentration
64742-47-8 Hydrotreated light distillate (petroleum) <95.0 %

111-76-2 Ethanol, 2-Butoxy- {Ethylene glycol n-butyl ether, Glycol Ether EB}

9016-45-9 Poly(oxy-1,2-ethanediyl), <5.0 %
.alpha.-(nonylphenyl)-.omega.-hydr {Nonylphenol Ethoxylate}

4. First Aid Measures

Emergency and First Aid

Procedures:

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of

The most important known symptoms and effects are described in the labeling (see

dangerous area.

In Case of Inhalation: If breathed in, move person into fresh air. If not breathing, give artificial respiration.

Consult a physician.

No data available.

In Case of Skin Contact: Wash off with soap and plenty of water. Consult a physician.

In Case of Eye Contact: Flush eyes with water as a precaution. Rinse thoroughly with plenty of water for at least

15 minutes and consult a physician.

In Case of Ingestion: Do NOT induce vomiting. Never give anything by mouth to an unconscious person.

Rinse mouth with water. Consult a physician.

Signs and Symptoms Of

Exposure:

section 2.2) and/or in section 11

Indication of any immediate

medical attention and special

treatment needed:

5. Fire Fighting Measures

Flash Pt: > 67.00 C Method Used: Estimate
Explosive Limits: LEL: UEL:

Autoignition Pt: > 230.00 C

Suitable Extinguishing Media: Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam.

Fire Fighting Instructions: Wear self contained breathing apparatus for fire fighting if necessary.

Further information. No data available.

Flammable Properties and

Hazards:

Nature of decomposition products not known.

Hazardous Combustion

Products: No data available

Page: 3 of 7

SAFETY DATA SHEET **QUICK RELEASE LOW ODOR MASTIC REMOVER**

Revision: 08/12/2021

6. Accidental Release Measures

Protective Precautions, Protective Equipment and Emergency Procedures:

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas.

Beware of vapors accumulating to form explosive concentrations. Vapours can

accumulate in low areas. For personal protection see section 8.

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Discharge into the environment must be avoided.

Steps To Be Taken In Case

Environmental Precautions:

Material Is Released Or Spilled:

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal. Soak up with inert

absorbent material and dispose of as hazardous waste.

7. Handling and Storage

Precautions To Be Taken in

Handling:

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic

charge.

Precautions To Be Taken in

Storing:

Keep container tightly closed in a dry and well-ventilated place. Containers which are

opened must be carefully resealed and kept upright to prevent leakage.

Storage class 510): Combustible liquids .

Other Precautions: Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

8. Exposure Controls/Personal Protection									
CAS#	Partial Chemical Na	me	OSHA TWA	ACGIH TWA	Other Limits				
64742-47-8	Hydrotreated light dis	stillate (petroleum)		TLV: 200 mg/m3					
111-76-2	Ethanol, 2-Butoxy- {Endoty the second of the	, ,,	PEL: 50 ppm	TLV: 20 ppm					
9016-45-9	Poly(oxy-1,2-ethaned .alpha(nonylphenyl) {Nonylphenol Ethoxy	omegahydr							
CAS#	Chemical Name	Jurisdiction	Recommended	Exposure Limits	Notations				
	thanol, 2-Butoxy-col n-butyl ether, Glycol	NIOSH	TWA: 5 ppm						

Respiratory Equipment (Specify Type):

Other Protective Clothing:

Eye Protection:

Protective Gloves:

Page: 4 of 7

Revision: 08/12/2021

SAFETY DATA SHEET QUICK RELEASE LOW ODOR

not be construed as offering an approval for any specific use scenario.

MASTIC REMOVER
officer familiar with the specific situation of anticipated use by our customers. It should

Complete suit protecting against chemicals.

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multi- purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Face shield and safety glasses.
Tightly fitting safety goggles. Faceshield (8-inch minimum).
Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Handle with gloves. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Wash and dry hands. Full contact. Material: Nitrile rubber Minimum layer thickness: 0.4 mm. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be

evaluated by an industrial hygienist and safety

Page: 5 of 7

Revision: 08/12/2021

SAFETY DATA SHEET QUICK RELEASE LOW ODOR

MASTIC REMOVER

Engineering Controls (Ventilation etc.):

Handle in accordance with good industrial hygiene and safety practice. Wash hands

before breaks and at the end of workday.

Environmental Exposure

Controls:

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Discharge into the environment must be avoided.

9. Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid

Appearance and Odor: Clear liquid.

solvent odor.

pH: NP

Freezing Point: ~ -75.00 C

Boiling Point: 169.00 C - 245.00 C

Flash Pt: > 67.00 C Method Used: Estimate

Evaporation Rate: > 1 (H2O=1) at 20.0 C

Flammability (solid, gas):

Explosive Limits: LEL: UEL:

Vapor Pressure (vs. Air or

mm Hg):

Vapor Density (vs. Air = 1): NA

Specific Gravity (Water = 1): 0.819 - 0.829 at 20.0 C

Solubility in Water: < 3% at 20.0 C

Octanol/Water Partition

Coefficient:

Percent Volatile: ~ 95 % by weight.

VOC / Volume: 0.0000 G/L **Autoignition Pt**: > 230.00 C

Decomposition Temperature: NA

Viscosity:

10. Stability and Reactivity

Reactivity: No data available.

Stability: Unstable [] Stable [X]

Conditions To Avoid - Heat, flames and sparks. No data available.

Instability:

Incompatibility - Materials To Strong oxidizing agents.

Avoid:

Hazardous Decomposition or No data available. In the event of fire: see section 5.

Byproducts:

Possibility of Hazardous Will occur [] Will not occur [X]

Reactions:

Conditions To Avoid - No data available.

Hazardous Reactions:

Page: 6 of 7

SAFETY DATA SHEET
QUICK RELEASE LOW ODOR
MASTIC REMOVER

Revision: 08/12/2021

11. Toxicological Information

Toxicological Information: Acute demal toxicity: LD50 rabbit Dose > 2,000 mg/kg

Skin irritation: Rabbit Non irritant

Eye irritation: Rabbit

minimal irritant.

No data available. Inhalation: Dermal. Genotoxicity in vitro - mouse - S.typhimurium:

Host-mediated assay. Result: negative.

Reproductive toxicity. Aspiration hazard: Germ cell mutagenicity. Hamster ovary.

(OECD Test Guideline 474) Mouse. male.

Overexposure may cause reproductive disorder(s) based on tests with laboratory

animals.

Irritation or Corrosion: Skin corrosion/irritation.

Result: Tumorigenic:Tumors at site or application. No skin irritation -4. Serious eye

damage/eye irritation: Eyes: Rabbit.

No skin irritation -4 h. Mild skin irritation Serious eye damage/eye irritation Eyes -rabbit

Sensitization: Standard Draize Test. Species: Guinea pig. Result: Tumorigenic:Tumors at site or

application. Maximisation Test. Does not cause skin sensitisation. Prolonged or repeated

exposure may cause allergic reactions in certain sensitive individuals.

Chronic Toxicological

Effects:

Specific target organ toxicity -single exposure (Globally Harmonized System) No data

available.

Specific target organ toxicity -repeated exposure: no data available.

Carcinogenicity/Other

Information:

IARC: Group 3: Not classifiable as to its carcinogenicity to humans 3.

NTP: No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible

or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is

PBT/vPvB assessment not available as chemical safety assessment not required/not

identified as a carcinogen or potential carcinogen by ACGIH.

CAS#	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA	
64742-47-8	Hydrotreated light distillate (petroleum)	n.a.	n.a.	A4	n.a.	
111-76-2	Ethanol, 2-Butoxy- {Ethylene glycol n-butyl ether, Glycol Ether EB}	n.a.	3	А3	n.a.	
9016-45-9	Poly(oxy-1,2-ethanediyl), .alpha(nonylphenyl)omegahydr {Nonylphenol Ethoxylate}	n.a.	n.a.	n.a.	n.a.	

12. Ecological Information

General Ecological (OECD Test Guideline 201))

Information:

Results of PBT and vPvB assessment:

conducted.

Persistence and No data available. Result: 90.4 % Readily biodegradable. Biodegradability Result: 86 % -

Degradability: Readily biodegradable.

Bioaccumulative Potential: No data available. Does not bioaccumulate.

Mobility in Soil: No data available.

Page: 7 of 7

SAFETY DATA SHEET QUICK RELEASE LOW ODOR MASTIC REMOVER

Revision: 08/12/2021

13. Disposal Considerations

Waste Disposal Method: Product.

This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed

disposal company.

Contaminated packaging. Contact a licensed professional waste disposal service to

dispose of this material.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S.

Environmentally hazardous substance, liquid, n.o.s (applies to single containers of more than 119 gallons -

smaller containers are not regulated)

DOT Hazard Class: UN/NA Number:

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists							
CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)			
64742-47-8	Hydrotreated light distillate (petroleum)	No	No	No			
111-76-2	Ethanol, 2-Butoxy- {Ethylene glycol n-butyl ether, Glycol Ether EB}	No	No	Yes-Cat. N230			
9016-45-9	Poly(oxy-1,2-ethanediyl), .alpha(nonylphenyl)omegahydr {Nonylphenol Ethoxylate}	No	No	No			
CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists					
64742-47-8	Hydrotreated light distillate (petroleum) CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No						
111-76-2	Ethanol, 2-Butoxy- {Ethylene glycol n-butyl ether, Glycol Ether EB} CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: TAC: Cat. IIa, Title 8						
9016-45-9	Poly(oxy-1,2-ethanediyl), .alpha(nonylphenyl)omegahydr {Nonylphenol Ethoxylate}	•	o; CWA NPDES: No; , 12(b); CA PROP.65	TSCA: Yes - : No; CA TAC, Title 8:			

16. Other Information

Revision Date: 07/07/2021

Additional Information About VOC CONTENT: 0.0 g/l **This Product:** HAP CONTENT: 0.0 g/l

Company Policy or

Disclaimer:

THE INFORMATION CONTAINED HEREIN is based upon available information at the time of preparation and is believed to be accurate but is not warranted to be so. Users are advised to confirm in advance of need that the information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or any other user proximately caused by the material if misused or if reasonable safety procedures are not adheared to as stipulated in the data sheet and on the product label. Furthermore, vendor assumes no responsibility for injury or damage caused by abnormal use of this material even if reasonable safety measures are followed.